

CAMINITO

BIO-LLG-001

PLANT SCAPE
COMMERCIAL SILK



CAMINITO

INTRODUCTION

The Plantscape Caminito collection is a visual representation of the small path hikers use to get up mountains. It is narrow and winding as it approaches the top and includes tons of plant life. This installation can bring some of that organic movement to your space and remove harsh unwanted lines as it softly elongates the verticals in the room.





SND103
STORM CLOUD



MDR#20
TRIMMED REINDEER MOSS








EXPERIENCE **DIRECTION**

The natural lines that lead up a mountain often become paths that people use. Other times they need to be manually carved but they still end up exhibiting organic features as they move along. Those lines beg to be followed.

CAMINITO

EXPLODED VIEW



Lighting Details:

Integrated Flex Lighting

How to Specify

All columns must be completed to process your specification. Contact the CSI Creative Team with any questions .

**Note: Each fixture requires an independent junction box per power drop. Units cannot be connect in series


Fixture ID	Performance	Color Temperature	Shielding	Aluminum Coating
CSI Integrated Flex Light	**Voltage:** 24V **CRI:** 90+ **Dimming:** Yes **Driver:** CSI standard offered driver	☐ 2400K ☐ 2700K ☐ 3000K ☐ 3500K ☐ 4000K	☐ **ASLMD** Acyrlic Satin Lens, Medium Diffuse	☐ **BK** Black ☐ **W** White ☐ **CCM** Custom Color Match

Example Spec:

Fixture: CSI Integrated Flex Light
Output: High - 7W / FT , 455 LM/FT
Color Temperature: 3500K
CRI: 90+
Dimming: Yes (0 - 10V)
Shielding: ASLMD - Acrylic Satin Lens, Medium Diffuse
Finish: Black (BK)
Orientation: Downlight

Standard Fixture Dimensions

4" - 6"-8" Lengths offered. Customized Dimensions if needed.



Color Temperature Range


The system integrated a full color temperature range from 2700K to 4000K along with tunable color and dimming options.

Color Temperature:	**2700K - 4000K**
CRI:	**90+**
Dimming Options:	**EIV, TRIAC, 0-10V**

Standard Lumen Outputs


The charts represent distribution of peak lumen output at a standard configuration of 90 CRI and 3500K luminaire. Custom outputs available.

Output	Watts/FT	Lumens/FT
Low	**4**	**260**
Medium	**5**	**325**
High	**7**	**455**




Direct vs. indirect Orientation

Specify as uplight or downlight for different applications




CAMINITO

ELEVATIONS




1 ELEVATION 1



1 ELEVATION 2

CAMINITO

GREENERY CONFIGURATIONS



Trimmed 100% Density | Lush 50% Density | Lush 100% Density



Trimmed 100% Density | Lush 50% Density | Lush 100% Density

CAMINITO

THERMALEAF® FOLIAGE SYSTEMS


We offer foliage systems for every project and environment type, ranging from live plants to preserved options, to long-lasting replica greenery. Interior vegetation must pass strict fire codes, and ThermaLeaf® greenery ensures fire code compliance as the safest commercially available foliage - that means complete design flexibility with guaranteed feasibility.




REPLICA GREENERY

Replica greenery is the most versatile indoor foliage system, with a massive variety of plant types that can be mixed and matched regardless of atmospheric conditions.

VARIETY	● ● ● ● ●
DURABILITY	● ● ● ● ●
INITIAL COST	● ● ● ● ○
ONGOING COSTS	● ○ ○ ○ ○






PRESERVED GREENERY

Preserved greenery maintains the appearance of live plants with less ongoing maintenance. While not every plant can be preserved, certain fronds and reindeer moss remain incredibly popular choices.

VARIETY	● ○ ○ ○ ○
DURABILITY	● ● ● ○ ○
INITIAL COST	● ● ● ○ ○
ONGOING COSTS	● ○ ○ ○ ○





LIVE GREENERY

Live greenery has a soothing presence and invokes a greater sense of wellness and sustainability. Some conditions may limit the viability of live greenery, as it is climate-sensitive and requires ongoing care.

VARIETY	● ● ● ○ ○
DURABILITY	● ○ ○ ○ ○
INITIAL COST	● ● ● ○ ○
ONGOING COSTS	● ● ● ● ○



CAMINITO

SPECIFICATIONS


PRODUCT ID	BIO-LLG-001
CONTENT	ThermaLeaf® Inherently Fire Retardant Foliage, Soundcore® Recycled PET Acoustic Felt
DURABILITY	Impact resistant, shock absorbant
WEATHERING	Non-deteriorating, non-hygroscopic, colorfast
MAINTENANCE	Clean with vacuum or light dusting
WARRANTY	Comes with industry-leading standard warranty
ENVIRONMENTAL	LEEDv4, VOC free, 100% recyclable, non-toxic, non-allergenic, anti-microbial
INSTALLATION	Plantscape Installation Systems are product specific
ACOUSTICS	Provides acoustic dampening
FLAMMABILITY	ASTM E84: Class A
SUSTAINABILITY	Made from 60% recycled content and is 100% recyclable

CAMINITO

COLORWAYS

SOUNDCORE® RECYCLED PET ACOUSTIC FELT



SND105
Sand Dollar



SND131
Abalone

SND037
Paper


SND130
Buckskin



SND125
Chinchilla



SND034
Granite Peak


SND126
Wolfhound


SND103
Storm Cloud


SND118
Anchor


SND115
Mako


SND129
Dried Thyme


SND107
Grasshopper

ELEMENTS VENEERED RECYCLED PET ACOUSTIC FELT


ELM326
Soft Maple


ELM311
Soft Elm


ELM325
Rough Elm


ELM329
Gray Cherry


ELM334
Greige Walnut


ELM337
Rosy Elm


ELM338
Straight Teak


ELM341
Cotton Candy


ELM316
Greige Elm


ELM318
Olde Gray


ELM410
Maple


ELM343
Caramel Coffee


ELM344
Rustic Cherry

CAMINITO

OUR MISSION



CELEBRATE NATURE THROUGH DESIGN

For over forty-five years, our mission has been to reconnect people with the experience of the natural world. For many, opportunities to enjoy lush environments are rare, and that lack of connection can take a toll on your sense of well-being. We are leading the charge into the future of biophilic design by creating transportive greenery experiences within everyday environments that harmonize with the context of your space.

We continue to innovate in our industry, designing the most botanically accurate, safest, and most durable replica greenery commercially available. Our project portfolio spans 75+ countries around the world, and we remain one of the top competitors in commercial greenery.