



CORK SURFACES 001

SUR-CRK-001

Product Specifications

Product Name	Cork Surfaces 001	Warranty	Comes with industry-leading standard warranty.
Product ID	SUR-CRK-001	Flammability	ASTM E84: Class A
Acoustics	0.20 NRC*	Custom	Custom colors and manufacturing services available. Additional charges and lead times may apply.
Lead Time	Lead time is dependent on project size. Contact us for more information.	Maintenance	Vacuum occasionally to remove airborne dust or debris. Mild detergents or soaps
Durability	Contract		may be used to remove stains. For detailed care instructions, refer to the CSI Creative Maintenance Information document.

Material Specifications

	PoshFelt®
Content	100% Merino or Karakul wool acoustic felt
Weathering	Colorfast, non-deteriorating, non-woven, moisture resistant
Ziivii Oiliiioiitai	100% organic wool design felt is a rapidly renewable resource and is 100% biodegradable/compostable. Contributes points toward LEED v4. CDPH v1.2, VOC free, no chemical irritants, no formaldehyde, and is free of other harmful substances. Compliant with Living Building Challenge criteria & DECLARE Red List Free.
	Due to its 100% natural origin, the raw fibers of wool felt contain inclusions and color variations throughout the material. Color matching is not guaranteed between dye lots and inconsistencies may be more prominent in volumes that exceed the normal commercial standard.







*Approximate. NRC rating may vary due to product dimensions and spacing.




800.213.0653 info@csicreative.com csicreative.com Page 2

Dimensions

Standard Unit Dimensions

Typical ranges for height and width.




Custom Opportunity

Product dimensions can be manipulated in order to fit your design aesthetic and site conditions.

Standard Unit Thicknesses

Thickness is dependent on material layer selection.





800.213.0653 info@csicreative.com csicreative.com Page 3

Installation Options*


All products and installation methods can be **customized** to meet the unique requirements of your space.

Adhesive Direct Advantages

Attachment solution using an adhesive to apply directly to an existing surface or substrate.

- +Fastest installation time
- +No gap between target surface and product
- +Lowest profile installation option
- +Easiest to install
- +Most versatile installation option

Available methods: Construction Adhesive, Peel & Stick, Custom



*Not all listed attachment methods may be applicable to this product.




800. 213. 0653 info@csicreative.com csicreative.com Page 4

Material Layers

PoshFelt®

100% organic, natural wool design felt brings out the best experience in your space with color, comfort, and simple sustainability.











800. 213. 0653 info@csicreative.com csicreative.com Page 6










Page 8





800. 213. 0653 info@csicreative.com csicreative.com Page 9