





Product Specifications

Product Name	Faceted Clouds 001
Product ID	CLD-FCT-001
Acoustics	0.85 - 0.95 NRC*
Lead Time	Lead time is dependent on project size. Contact us for more information.
Durability	Contract

Warranty	Comes with industry-leading standard warranty.
Flammability	ASTM E84: Class A
Custom	Custom colors and manufacturing services available. Additional charges and lead times may apply.
Maintenance	Vacuum occasionally to remove airborne dust or debris. Mild detergents or soaps may be used to remove stains. For detailed care instructions, refer to the CSI Creative Maintenance Information document.

Material Specifications

	Soundcore®
Content	Recycled PET acoustic felt
Weathering	Colorfast, non-deteriorating, non-hygroscopic
Environmental	Recycled PET acoustic felt is 60% post-consumer recycled content and is 100% recyclable. Contributes points toward LEED v4. CDPH v1.2, VOC free, non-toxic, non-allergenic, anti-microbial - does not attract mold and mildew. Compliant with Living Building Challenge criteria & DECLARE Red List Free.
Variation	PET felt panels are created through a manufacturing process known as 'felting'. This process results in a heathered appearance. Multiple color tones may appear in the same panel. Slight color variations should be expected.




*Approximate. NRC rating may vary due to product dimensions and spacing.

Dimensions

Standard Unit Dimensions

Typical ranges for length and width.




***Optional LED Light Available**

Custom Opportunity


Product dimensions can be manipulated in order to fit your design aesthetic and site conditions.

Standard Unit Thicknesses

Thickness is independent of material layer selection




Product Details




Configuration Options


The layouts shown are a summation of individual units. Individual units may be assembled in various arrangements to dictate the larger design. Configurations shown are suggested, but can be rearranged to achieve a custom layout.



Uniform



Alternating




Independent

Lighting Specs

Lighting Fixture Features:

- + Circular profile: 5" Diameter
- + cETLus Listed
- + Title 24/JA8 Compliant

4" LED Recessed Light




- + Lighting Source: Integrated LED
- + Height: 1.125"
- + Voltage: 120V
- + Wattage: 12W
- + CRI: 90
- + Delivered Lumens: 900
- + Color Temperature: 2700K/3000K/3500K/4000K/5000K
- + Dimming Type: Triac/ELV
- + Finish: White
- + Diffuser: Frosted
- + Diffuser Material: Acrylic

Attachment Methods*


Aircraft Cable

- + Fastest/easiest height adjustment
- + Largest height adjustment range
- + Height and angle versatility
- + Accommodates uneven ceiling surfaces and MEP




Threaded Rod

- + Reduced product sway
- + Height and angle versatility
- + Accommodates uneven ceiling surfaces and MEP



Mechanical Direct

- + Lowest profile installation method
- + Eliminates product sway
- + Connects to: Unistrut, ACT Grid, flat ceiling surfaces
- + Connections: Magnets, Grid Clips, Panel Clips, Metal Bracket, Custom




*Not all listed attachment methods may be applicable to this product.

Material Layers


Soundcore®

Our recycled PET felt creates an acoustic barrier, defending against wandering white noise and irritating echoes.



Single Layer

½" Thickness



Soundcore® Wood Textures

Soundcore® wood textures provide the natural aesthetic of wood while maintaining all the acoustic benefits of PET felt. Custom texture opportunities are also available upon request.




Single Layer


½" Thickness



Soundcore® | 1/2" Thickness



SND019
Linen



SND037
Paper



SND134
Oat



SND135
Vanilla Bean



SND105
Sand Dollar



SND109
Macadamia



SND111
Lanai



SND130
Buckskin



SND131
Abalone



SND125
Chinchilla



SND118
Anchor




SND126
Wolfhound



SND110
Starry Night




SND102
Morning Fog



SND114
Lunar Dust



SND034
Granite Peak



SND132
Cast Iron



SND103
Storm Cloud



SND038
Inkwell



SND122
Briquette



SND127
Burnt Toast



SND108
Ablaze




SND104
Pumpkin



SND106
Goldfinch




SND113
Gruner




SND129
Dried Thyme



SND107
Grasshopper



SND136
Clover



SND138
Fern



SND137
Cove




SND112
Tulum



SND139
Tidal



SND121
Apatite



SND123
Chrysocolla




SND117
Serene




SND124
Ice Floe



SND115
Mako




SND128
Arctic Ocean



SND133
Galactic




SND116
Blue Marlin



SND042
Denim


















SND140
Marine



SND101
Commodore

Soundcore® Wood Textures | 1/2" Thickness

									
SND716 Dark Teak	SND792 Dark Oak	SND715 Dark Cherry	SND793 Vintage Maple	SND794 Warm Teak	SND714 English Walnut	SND713 Honey Walnut	SND717 Warm Oak	SND790 Natural Teak	SND712 Natural Spruce
									
SND711 Bleached Cherry	SND795 Light Teak	SND709 White Maple	SND791 Gray Oak	SND710 Gray Teak					