## FOLDED SURFACES 008 SUR-FLD-008

00000000

111



PRODUCT GUIDE

11111111111111

All him more shall have and

hille han the the second of the second

Manne Mart Manness Martin





LIGHTWEIGHT Super light material opens up options for ceilings and surfaces.



VOC FREE CDPH Standard Method V1.2 School Classroom and Private Office Compliant.

**POWERFUL ACOUSTICS** High Noise Reduction Coefficient.



**CUSTOM SIZING** Custom-sized products arrive installation ready.



**FIRE-SAFE** ASTM E84: Class A tested and compliant.



SUSTAINABILITY Made from 60% recycled content and is 100% recyclable.




LOW MAINTENANCE A light dusting is all you'll ever need.



LEAD TIME 2-4 weeks with vast color options.




## SPECIFICATIONS




PRODUCT ID	SUR-FLD-008			
CONTENT	Soundcore® Recycled PET acoustic felt			
DURABILITY	Impact resistant, shock absorbant			
WEATHERING	Non-deteriorating, non-hygroscopic, colorfast			
MAINTENANCE	Clean with vacuum or light dusting			
WARRANTY	Comes with industry-leading standard warranty			
ENVIRONMENTAL	LEEDv4, VOC free, 100% recyclable, non-toxic, non-allergenic, anti-microbial			
INSTALLATION	CSI Installation Systems are product specific (see Installation page)			
ACOUSTICS	0.65 NRC			
FLAMMABILITY	ASTM E84: Class A			

# TECHNICAL



### MATERIAL THICKNESS

 $^{1\!/_{2}"}$  custom thicknessess available



### SPACING

Varies custom spacing available

3 PERSPECTIVE VIEW





#### (3) SHOW BACKER WITH GAPS

#### (4) CUSTOM ORIENTATION

L

#### (1) ONE RAIL REPEATED

Image: Section of the section of t	
Image: state	
Image: Section of the section of t	
Image: style s	
Image: state	
Image: state	
Image: Section of the sectio	
Image: state	
Image: state	
Image: style s	
Image: state	
Image: Construction of the sector of the	
Image: Section of the section of t	
Image: state	
Image: state	
Image: set of the set of th	
Image: state	
Image: state	
Image: Section of the section of t	
Image: Section of the section of t	
Image: Section of the section of t	
Image: state	
Image: state	
Image: Section of the section of t	
Image: Section of the section of t	
Image: Constraint of the sector of the se	
Image: state	
Image: Section of the section of t	
Image: Section of the section of t	
Image: state	1
	1
Image: Section of the section of t	
	1
Image: Section of Sec	
Image: Section of Sec	
Image: Section of the section of t	
Image: Section of Sec	
Image: Constraint of the sector of	
Image: Constraint of the sector of the se	
Image: Constraint of the second of	
Image: Section of the sectio	
Image: Section of Sec	
Image: Section of the sectio	
Image: Section of the sectio	
Image: Section of the sectio	
Image: Section of Sec	
Image: Section of the sectio	
Image: Section of the sectio	1
Image: Section of the sectio	
Image: Section of the sectio	
	1
Image: Section of the sectio	
Image: Section of the sectio	
Image: Section of the sectio	
	1
Image: Section of the sectio	
	1
	1
	1

#### 2 EVERY OTHER RAIL FLIPPED

# LAYOUT OPTIONS

# INSTALLATION

Surface installation systems are designed according to site conditions, and maximize efficiency of installation.

Each solution respects the integrity of the project design, budget, and installs easily with simple tools.

### DIRECT ATTACHMENT SYSTEM

Attachment solution for pre-constructed ceiling substrates using construction adhesives. Requires minimal skilled installation labor. Ideal for remodeling spaces.

### PEEL AND STICK SYSTEM


Attachment solution for existing surfaces or substrates using pre-applied adhesive backing. Requires minimal skilled installation labor - simply peel, and stick.


### INDIVIDUAL CLIP SYSTEM

Attachment system for hanging multiple panels in series efficiently. Maintains alignment of panels with a drop-in gravity clip system. Easily installed in post-construction phase.

### SNAP MOUNT SYSTEM

Attachment system for efficient installation via predesigned modular configurations using snap-locking hardware. Engage us in the design phase for site-specific templates and hardware configurations.







# SITE CONDITIONS


### TRANSITION

Surface installations in transition areas are typically simple, low-profile cladding that uses color to assist in wayfinding, and enhances the acoustics of hard surfaces in hallways.




### FOCAL POINT

Surface cladding used as a focal point can be infinitely more complex, and can integrate other materials. A focal point gets much more visual attention than transition spaces, and serves artistic merit as well as acoustics.



### BRANDING

Any product can be designed with integrated branding opportunities, from color choices to lettering, carving, graphic displays and more.





## COLORWAYS

#### SOUNDCORE® RECYCLED PET ACOUSTIC FELT



#### SOUNDCORE® WOOD TEXTURES RECYCLED PET ACOUSTIC FELT

SND709 Lomed Oak	SND712 Sraight Teak	SND706 Greige Walnut	SND714 Soft Greige Walnu	t SND711 Light Maple	SND713 Caramel Coffee	SND708 Dark Cherry	SND705 Golden Rays
						NUNCTION I	
SND721 Toasted Walnut	SND724 Rose Oak	SND723 Fall Oak	SND727 Teak	SND728 Walnut Teak	SND701 Medium Walnut	SND715 Butternut Brownie	SND716 Modern Walnut
SND726 Pewter Teak	SND725 Pebble Teak	SND710 Calico	SND702 Singed Ash	SND717 Roughed Up Oak	SND720 Red Oak	SND722 Honey Oak	SND707 Natural Walnut
SND703 Dark Oak	SND719 Weathered Oak	SND718 Aged Barnwood	SND704 Raven	SND729 Frosted Oak	SND730 Ash Grey	SND731 Sunbleached Oak	SND732 Natural Chestnut

SND733 Aged Barrel



## SUSTAINABILITY



### **RESPONSIBLE INNOVATION**

We source our materials responsibly, using 100% recyclable materials. The majority of the material composition comes from post-consumer plastics, which means you're not forwarding the environmental bill to the next generation.

Soundcore® is 100% VOC free (Volatile Organic Compound), which means from day one there will be zero odorous fumes, and zero air toxicity. It's also ASTM E84: Class A fire rated and offers resonant insulation to build a more comfortable environment.

All of these check-boxes make up a surprisingly lightweight, soft-touch panel that we're incredibly proud of.

## MATERIAL CONSTRUCTION

60% Recycled PET acoustic fiber.

#### **PRODUCT CERTIFICATIONS**

ASTM E84: Class A, VOC Free (CDPH Standard Method V1.2)



## OUR MISSION

### **EXPERIENTIAL SPACES**

Our goal is to create spaces that feel better.

It's easy to visualize a space with architectural acoustics, but even the most detailed renderings couldn't convey the experience of actually being there. When sound is properly controlled within a space, it creates focus and calmness that you can actually feel. We want to help you turn off the droning machinery in the back of your mind. We fabricate custom solutions that visually suit your space while building towards a more soothing holistic experience. This creates spaces where people want to be—where they want to work, where they want to sleep, exercise, create, study, and relax.



